



Marketing Science Institute Working Paper Series 2010
Report No. 10-102

Demystifying Disruption: A New Model for Understanding and Predicting Disruptive Technologies

Ashish Sood and Gerard J. Tellis

"Demystifying Disruption: A New Model for Understanding and Predicting Disruptive Technologies" © 2010 Ashish Sood and Gerard J. Tellis; Report Summary © 2010 Marketing Science Institute

MSI working papers are distributed for the benefit of MSI corporate and academic members and the general public. Reports are not to be reproduced or published, in any form or by any means, electronic or mechanical, without written permission.

Report Summary

For its many benefits to consumers and markets, technological change may be most notable for the challenge it presents to incumbent firms. From microcomputers to MP3 players, there are numerous examples of established firms misinterpreting the impact of new technology, leading to their own demise.

Why do firms fail when faced with technological change? Of several prominent theories, the theory of “disruptive technologies” has been dominant. This theory posits that disruption occurs when a technology that is superior on a new dimension that appeals to a niche, but inferior on a dimension that appeals to the mass market, improves on the latter dimension to meet the needs of the mass market. The theory suggests that such a lower attack is potentially “disruptive,” because managers of incumbent firms may ignore or belittle a seemingly inferior technology. However, this theory lacks precise definitions, suffers from tautologies, lacks adequate empirical testing, and has no predictive model.

Authors Sood and Tellis attempt to remedy these problems with a new schema, new empirical data, and a new predictive model. The proposed schema has clear definitions for types of technologies, types of attacks, and domains of disruption, and explains the dynamics of competition between new and dominant technologies. They derive seven testable hypotheses, which they test using historical data on 36 platform technologies from seven markets. Further, they carry out an out-of-sample predictive analysis that shows good to high sensitivity and specificity in predicting disruption.

To begin, the authors distinguish between an upper attack—where an entering new technology performs better than the dominant technology—and a lower attack—where an entering new technology performs worse than the dominant technology on the primary dimension of performance. They also identify three domains of disruption, in each of which disruption could occur independently: technology, firm, and demand. Technology disruption occurs when the new technology crosses the performance of the dominant technology on the primary dimension of performance. Firm disruption occurs when the market share of a firm whose products use a new technology exceeds the market share of the largest firm whose products use the highest-share technology. Demand disruption occurs when the total share of products in the market based on a new technology exceeds the share of products based on the dominant technology.

The results of their analysis suggest that many aspects of the disruptive technologies theory are exaggerated. Though an entrant disrupting a well-funded, giant incumbent with a lower attack makes for a good story, such disruptions account for only a small fraction of all cases—for example, only 8% of all technology disruptions and 25% of all firm disruptions were caused by entrants using a lower attack. The hazard of disruption by incumbents is significantly higher than that by entrants. Further, technologies that adopt a lower attack are not cheaper than older technologies.

The analysis reveals other interesting patterns of technology competition. First, at many points in time, competing technologies co-exist. In some cases, disrupted technologies continue to survive and co-exist with the new technology by finding a niche market. Moreover, technology disruption is not permanent due to multiple crossings in technology performance.

Second, new secondary dimensions of performance frequently emerge among competing technologies. For example, while competition in monitors occurred in mainstream markets on the primary dimension of performance (resolution), at the same time, LCDs introduced the dimension of compactness, plasma the dimension of screen size, and OLED the dimension of convenience and low power consumption. A new technology almost always introduces a new dimension of importance to niche markets—even while they are competing with the old technologies on a primary dimension for the mainstream segment.

Third, some technologies experience disruption in one domain but not another. For example, incandescent lamps continue to dominate in the demand domain, even after being disrupted in the technology domain by better-performing technologies.

Fourth, most technologies do not improve smoothly over time as the theory of disruptive innovations predicts. Neither do most technologies improve in the shape of S-curves. Rather, improvement is sporadic with many periods of no improvement followed by spurts of big improvements. For example, gas discharge was stagnant for many years and lost technological superiority to a competing technology, arc discharge, which improved frequently every few years after its entry. However substantial improvement after almost 20 years propelled gas discharge into a position of superiority again.

Finally, firms that introduce a new technology may not be the ones to cause disruption. For example, while Optel Inc. introduced LCD technology, Samsung disrupted the incumbents and became the market leader. So first-mover advantage is not sufficient for disruption.

Ashish Sood is Assistant Professor of Marketing, Goizueta School of Business, Emory University. Gerard J. Tellis is Professor of Marketing, Director of the Center for Global Innovation, and Neely Chair in American Enterprise at the Marshall School of Business, University of Southern California.

Introduction

Technological change is critically important to firms for several reasons. First, it has the potential to obsolete assets, labor, and intellectual capital of incumbents in the market. For example, electronic commerce obsoleted many of the old business processes in the banking industry. Second, it can create entirely new markets, with new products, new customers, and exploding demand. For example, MP3 technology facilitated the iPod revolution with massive demand for products, services, and accessories. Third, technological evolution enables firms to target new segments within a market with improved products. For example, improvements in LCD monitors enabled firms to target the segment of consumers with mobile computing needs. Fourth and most importantly, incumbents often misinterpret the potential impact of the new technology and this error causes their demise. For example, microcomputers killed off manufacturers of mini-computers.

The failure of firms in the face of technological change has been a topic of intense research and debate in the strategy literature (e.g. Schumpeter 1934; Freeman 1974; Henderson and Clark 1990; Henderson 1993; Cohen and Levinthal 1990). An early attempt to understand this phenomenon was by Foster (1986). He posited the Theory of S-Curves that suggested that technologies evolve along successive S-curves; incumbents fail if they miss to switch to a new technology that passes the incumbent's technology in performance. Tushman and Anderson (1986) refined this theory by distinguishing between competence-enhancing and competence-destroying technological changes. They argued that failure occurred only when the new technology destroyed, rather than enhanced, the expertise of the incumbents. Other researchers built on the Theory of Punctuated Equilibrium (Gould and Eldredge 1977) to propose a demand side explanation to the phenomenon of disruption (Levinthal 1998; Adner 2002; Adner and

Zemsky 2005; Mokyr 1990). They suggested that disruption occurs when a new technology that starts in one domain moves to a new domain with potentially higher demand and additional resources. Christensen (1997) proposed the theory of disruptive innovations. It posited that disruption occurred when an initially inferior technology, introduced by a new entrant improved to meet the needs of the mass market (Bower and Christensen 1995).

Of the three theories, Christensen's (1997) theory has won the most attention and widest acclaim from both managers and researchers (Henderson 2006; Gilbert 2003; King and Tucci 2002; Adner 2002; Adner and Zemsky 2005; Grove 1998; Gilbert and Bower 2002). Books on disruption have sold hundreds of thousands of copies, readings on disruption are among the most used in MBA classes, and a Google search suggests that the term 'disruptive innovation' is the most popular innovation term.

However, researchers have pointed to at least four weaknesses in the theory. First, researchers claim that the central thesis about a disruptive technology causing disruption appears tautological (Cohan 2000; Danneels 2004; Markides 2006). Christensen's writings alone suggest that the term could take on different meanings (Danneels 2004; Tellis 2006). The major issue is the use of the same term to describe both the causative agent (disruptive technology) and the effect (disruption). For example, Kostoff, Boylan, and Simons (2004 p 142) state, "*disruptive technologies ... can be revealed as being disruptive only in hindsight.*"

Second, the theory is ambiguous as to which domain of disruption the theory applies (Danneels 2004; Markides 2006). We identify three domains of disruption: technology domain (performance evolution), firm domain (competitive survival), and demand domain (market acceptance).

Third, many authors point to a scarcity of empirical evidence to validate the

generalizability of the claims (Govindarajan and Kopalle 2006; Danneels 2004; Tellis 2006; Utterback and Acee 2005). Danneels (2004 p. 251) calls for new research on a “*comprehensive list of technologies*” to examine “*the mechanisms and effects*” of disruptive technologies on firms and markets. Cohan (2000) suggests that the results on the effects of disruptive technologies may not hold as well if the sample were drawn randomly.

Fourth, the theory lacks predictive ability (Tellis 2006; Kostoff, Boylan, and Simons 2004). Barney (1997) urges development of a predictive model to rule out cherry-picking or luck as an alternative explanation of why some technologies are more disruptive than others.

To summarize, we seek answers to the following specific questions with the goal of infusing this theory with validity: 1) What is a disruption? 2) Who introduces a disruptive technology and who survives disruption? 3) What are the causes of disruption? 4) When does disruption occur and how can we predict it?

We make three contributions to prior literature in this paper. First, we develop a new schema, which identifies key variables, defines key terms, and allows us to derive seven testable hypotheses. Second, we conduct an empirical test of the hypotheses by sampling *all* platform technologies in seven markets, rather than selectively sampling those that may or may not fit the hypotheses. Third, we develop a model that can predict the hazard of disruption of a new technology. The next section presents the method and results of the study. The last section discusses the findings, limitations, and implications of the study.

Theory

This section presents a new schema and develops hypotheses about the impact of technological change on markets.

Schema

Our new schema defines constructs, expands the set of drivers of disruption, and provides the foundation for hypotheses and a predictive model. Our definitions cover types of technologies, types of technological attack, dynamics of competition, and domains of disruption. To avoid circularity, we define concepts in terms of technological characteristics rather than effects that lead to premises true by definition, e.g., “disruptive,” “sustaining,” or “revolutionary”.

Definition of technologies

What is a technology? Following Sood and Tellis (2005), we define a technology as a platform based on a unique scientific principle, on which firms manufacture products to serve customers’ needs in a particular market. For example, in the lighting market, incandescence, fluorescence, or Light Emitting Diodes (LED), are three entirely independent scientific principles, each of which provides a platform on which firms produce products to serve consumers’ need for light. Thus, they constitute three independent technologies for lighting. Innovations *within* each technology could cause it to improve in performance over time. We classify these innovations as belonging either to component innovations (in parts or supplies) or design innovations (in layout or links) (see Table 1). However, as long as the scientific principle remains the same, we assign all these innovations to the same technology. For example, large and compact fluorescent bulbs exemplify various design innovations within the fluorescence technology. Carbide and tungsten filaments exemplify component innovations within incandescence technology. The improvement in performance of a platform technology over time is due to these design and component innovations.

Definition of technological attack

How does a new technology attack the dominant technology? To answer this question,

we first identify an objective measure of the performance of a technology, which is important to the mainstream segment and forms the primary dimension of competition in the market. We define a market as a set of consumers whose similar needs are being served by a set of competing technologies, firms, and brands. For example, storage capacity is an important primary dimension of competition in the market for computer storage technologies. All other attributes of technologies would be secondary dimensions of competition. We then define two types of attacks: lower and upper attacks. A **lower attack** occurs when, at the time of its entry, a new technology performs worse than the dominant technology on the primary dimension of performance. An **upper attack** occurs when, at the time of its entry, a new technology performs better than the dominant technology on the primary dimension of performance..

Dynamics of competition

What are the dynamics of competition between the new technology and dominant technology? For simplicity of exposition, following Christensen (1997), we assume the market has two technologies (dominant and new), two dimensions (primary and secondary), and two segments: a mainstream and a niche segment. (The empirical analysis allows for multiple technologies and dimensions). Figure 1 illustrates the dynamics of competition between the dominant technology and the new technology on the primary and secondary dimensions in one market. Both segments have similar needs but differ in their preferences: the mainstream segment favors the primary dimension while the niche segment favors the secondary dimension, as shown by their locations in Figure 1. At time t_1 , the dominant technology is strong on the primary dimension but weak on the secondary dimension, while the reverse holds for the new technology. Given this preference distribution, at time t_1 , the mainstream segment prefers the dominant technology, while the niche segment prefers the new technology.

Again, following Christensen (1997), we assume the segments have fixed preferences but

technologies improve over time, as shown by the arrows in Figure 1. Both technologies improve on the primary dimension over time. At time t_2 , the dominant technology exceeds the needs of the mainstream segment on this dimension. However, the new technology improves sufficiently on the primary dimension so as to appeal to the mainstream segment, because it now meets its need on both the primary and secondary dimension. Thus, at time t_2 , the new technology disrupts the dominant technology. The niche segment plays the role of providing a demand for the new technology, while it improves in performance on the primary dimension and meets the needs of the mainstream segment. Note, as does Christensen (1997), for this analysis, it is sufficient to assume segments with fixed preferences, so long as technologies improve over time.

Domains of disruption

We identify three domains of disruption, in each of which disruption could occur independently: technology, firm, and demand. **Technology disruption** occurs when the new technology crosses the performance of the dominant technology on the primary dimension of performance. We use the term dominant technology to refer to the technology with the best performance on the primary dimension at the time a new technology enters the market. **Firm disruption** occurs when the market share of a firm whose products use a new technology exceeds the market share of the largest firm whose products use the highest-share technology. We use the term highest-share technology to refer to the technology with the highest market share at the time a new technology enters the market. Note by this definition, either an entrant or an incumbent can disrupt the largest firm whose products use the dominant technology. However, if the highest market share firm is farsighted and *itself* builds the highest market share in this new technology, then no firm disruption would occur. **Demand disruption** occurs when the total share of products in the market based on a new technology exceeds the share of products based on the dominant technology. We use the term **market disruption** to refer

inclusively to all three domains of disruption.

Summary

These constructs for technology, direction of attack, and domains of disruption constitute our new schema. The schema allows us to organize terms used in the prior literature (see Table 2). In particular, Christensen's (1997) term **disruptive technology** would be equivalent to a new technology adopting a lower-attack that is also superior to the dominant technology on a secondary dimension (see Tables 1 and 2). Christensen, Anthony, and Roth's (2004) term **sustaining displacing** would be equivalent to a new technology adopting an upper-attack. Note that Christensen (1997)'s terms sustaining incremental and sustaining radical innovations are equivalent to design and component innovations that improve a current technology's performance along the primary dimension of performance. Design innovations are also what Henderson and Clark (1990) call architectural innovations. From Table 2, note also that relative to the literature, this is the only study that covers all three domains of disruption and both types of attacks in one empirical analysis.

Hypotheses

With the help of the above schema, we formulate seven testable hypotheses - three on technological entry and four on the hazard of disruption.

Technological entry

Who introduces technologies that use a lower attack (potentially disruptive)? Proponents of the theory of disruptive innovations assert that "the firms that led the industry in every instance of developing and adopting disruptive technologies were entrants to the industry, not its incumbent leaders" (Christensen 1997 p.24). Why does this occur? According to the theory, entrants are willing to experiment with new technologies targeted towards niche segments (Christensen 1997). These firms are also not deterred by the lower profit margins and smaller

sales volumes from niche segments relative to the mainstream segment (Christensen and Rosenbloom 1995). On the other hand, incumbents firms get most of their revenues and profits from the existing technology marketed to the mainstream segment (Raffi & Kampas 2002). So, they devote all their efforts and energies to perfect their current technology marketed to the mainstream segment. The established routines within the incumbent firms do not provide sufficient incentives to develop these new skills and knowledge associated with the new technology. These arguments suggest the following hypothesis:

H₁: Technologies using a lower attack (potentially disruptive) come primarily from entrants.

Who introduces technologies that use an upper attack (sustaining displacing)?

Christensen, Anthony, and Roth (2004) suggest that the technologies adopting an upper attack (“sustaining displacing”) are introduced mainly by incumbents. Incumbents focus on satisfying their current demanding customers with both simple, incremental improvements and breakthrough jumps up the current trajectory of performance improvement. Incumbents have more resources, higher profits, and more at stake than new entrants. Incumbents can readily deploy sustaining displacing innovations because they may not require substantial changes to their overall value-creating system (business model). They can use the same manufacturing and distribution process, if the new technology fits their R&D capabilities and delivers benefits that are consistent with the brand promise. These arguments lead to the following hypothesis:

H₂: Technologies using an upper attack (sustaining displacing) come primarily from incumbents.

How do technologies using a lower attack differ from the dominant technology? The theory of disruptive innovations suggests that firms target the less demanding niche customers with lower performing technologies. The technologies using a lower attack are “*typically simpler, cheaper, easier, and more convenient than dominant technologies*” (Christensen 1997

p.267). Even though these technologies may improve over time, at entry, these technologies are crude but more affordable than dominant technologies. Underlying all these arguments is Christensen (1997)'s assumption that performance and cost are correlated and a lower attack also makes the technology less expensive. Moreover, new technologies are initially less feature rich and focus on primarily providing the basic consumer benefit. By targeting only the small niche segments, firms also reduce costs by limiting the product range. These arguments suggest:

H₃: Technologies using a lower attack (potentially disruptive) are priced lower than dominant technologies at entry.

Hazard of disruption

Which type of firm is more likely to disrupt? The theory suggests that incumbents are unlikely to disrupt because they focus predominantly on their current customers for several reasons. First, incumbents get their revenues primarily from their current mainstream segment whereas entrants target the less profitable segments and the less demanding customers (Christensen, Anthony and Roth 2004). Second, incumbents do not possess appropriate resources and competencies to compete with entrants, who introduce a new value proposition and serve demand on a new secondary dimension (see Figure 1). For example, incumbents making CRT monitors could not compete effectively with entrants making LCD monitors on the secondary dimension of compactness even though they made efforts to reduce the size of old CRT monitors by introducing flat screen CRT monitors. Third, incumbents often do not appreciate the real threat of a new technology (Christensen and Raynor 2003; Henderson 2006; Gilbert 2003). For example, incumbents making CRT monitors discounted the potential increase in resolution of LCD monitors. These arguments suggest:

H₄: The hazard of disruption is higher from an entrant than from an incumbent.

What type of technological attack is more likely to cause firm or demand disruption? The

theory suggests that a lower attack is deceptively more dangerous than an upper attack because firms that focus on the dominant technology do not perceive the new technology as a threat often till it is too late. The lower performance lulls incumbents into thinking that these new technologies will not appeal to the mainstream segment, which values the high performance of the dominant technology. Over time, the improvement of the dominant technology on the primary dimension exceeds the needs of the mainstream segment creating conditions of “performance oversupply” (Christensen 1997). Disruption occurs when the improvement of the new technology increases its appeal to the mainstream segment. When this change occurs, Utterback (1994) asserts that incumbents lack the required set of capabilities to compete with entrants regardless of how well they are positioned to serve the mainstream segment. These arguments suggest:

H₅: The hazard of firm or demand disruption is higher if a new technology uses a lower attack.

How does firm size affect disruption? Extant theories relate strategies on technology to size of firms. Small firms lack the weaknesses that often beset large firms like technological inertia (Ghemawat 1991), complacency (Robertson, Eliashberg, and Rymon 1995), arrogance (Lieberman and Montgomery 1988), and reluctance to cannibalize existing products (Chandy and Tellis 1998). Small firms are more research productive than large firms, especially in highly innovative industries requiring skilled labor (Acs and Audretsch 1988). During the early life of technologies, these capabilities are more important than the advantages of scale and scope of large firms (Pavitt and Wald 1971; Acs and Audretsch 1988). These arguments suggest:

H_{6a}: The hazard of disruption is higher if a new technology is introduced by a small firm.

However, some recent research suggests that incumbents may be better positioned to take advantage of new technologies because of superior financial and managerial resources (Hill and

Rothaermel 2003; Rothaermel 2001), R&D capability (Rothaermel and Hill 2005), and complementary assets (Tripsas 1997). Chandy and Tellis (2000) find that in recent decades, radical innovations come mainly from large firms. These arguments lead to this rival hypothesis:

H_{6b}: The hazard of disruption is lower if a new technology is introduced by a small firm.

Is the hazard of disruption higher if a technology is priced lower than the dominant technology at entry? The theory of disruptive innovations suggests that products based on technologies that adopt a lower attack are initially priced lower and are of a cruder design than the dominant technology. Characteristics of such technologies make them attractive to niche customers but not the mainstream segment. For example, lower costs reduce the perceived risk while crude designs reduce the perceived complexity of the new technology (Rogers 2003). Moreover, such technologies target new consumers or those in low-end markets (Christensen 1997) avoiding direct competition with the dominant technology. Reduced competition may help firms to maintain lower costs by reducing marketing expenditures and to transfer these advantages to customers via lower prices. These arguments suggest:

H₇: The hazard of disruption is higher if a new technology is lower priced than the dominant technology at entry.

Control variables

We use two control variables: change in performance of new technology and order of entry for two reasons. First, extant theory suggests that higher performance of the new technology increases its appeal to the mainstream segment. This improved performance of the new technology increases the hazard of disruption of the dominant technology. So we use change in performance of the new technology as a control variable. Second, prior literature suggests that technological change increases with time (Sood and Tellis 2005). New technologies may find it easier to disrupt older technologies than other technologies. Hence, we also include the order of

entry of technologies in a market as an additional control variable.

In summary, our new schema leads to seven distinct, falsifiable hypotheses about disruption and two control variables, which we now proceed to test.

Method

We test these hypotheses using data from seven markets. We collected these data using the historical method (Golder and Tellis 1997; Sood and Tellis 2009). Below we detail the sample selection and sources, and procedure for collecting the data.

Sample selection

We used three criteria in selecting markets. First, we need markets with a minimum of two technologies per market to observe the phenomenon of disruption. Second, we need a mix of relatively young and relatively old markets. Third, we need some overlap with past research to enable comparison. On the basis of these criteria, we chose seven markets: electrical lighting, data transfer, computer memory, computer printers, display monitors, music recording, and analgesics markets. Note that the first two are utilities, the next four are consumer electronics and the last is pharmaceutical. Thus the sample crosses a broad spectrum of technologies, markets, and products with technologies that vary in age from a few years to more than a century. A unique feature of our sample is that we selected all platform technologies that were ever commercialized within each market. Some of these technologies did not achieve much of a presence in the mainstream segment and remained limited to a niche. In all, we identify 36 technologies: nine in computer memory, six in display monitors, five each in computer printers, electrical lighting, and music recording, and three each in analgesics and data transfer. Appendix 1 describes these 36 technologies briefly. In each of these technologies, improvements occur due to design and component innovations. Because the latter number in the hundreds, for ease of

analysis and exposition, we track disruptions only in platform technologies and not also in design and component innovations. Thus, our results apply to platform technologies.

Sources

The primary sources of our data are technical journals, industry publications, press releases, timelines of major firms, white papers published by R&D organizations, annual reports of industry associations, and records in museums which profiled innovations and the development of markets. We collect information on technologies available in each market, the performance of these technologies at various stages of technological evolution, the supplier of these technologies, and the market success of each technology. We also collect information on technological performance on both primary and secondary dimensions.

Procedure

We follow the general rules for data collection for the historical method. We explain eight specific problems we encountered and the rules we used to resolve them. First, we find that the scientific principles on which new technologies are based are often discovered in laboratories, years and sometimes decades before products based on these scientific principles are commercialized. We identify the year of entry of a new technology based on when a new product based on a new technology was first commercialized in the market even if the scientific principle may have been known or described in a technical paper earlier.

Second, we find that many firms make various announcements about new products at various stages of research and development before launching their products. We identify the first firm to introduce a commercialized product in the market even if announcements of prototypes have been reported by other firms before the commercialization. Moreover, we find that in some cases, a number of firms collaborate on the joint research for a new technology and then share licensing rights to products employing that technology. For example, Universal Display

Corporation was the forerunner in initial research on OLED display technology. At that time, Universal Display Corporation had Sony, Samsung, DuPont, Motorola, Toyota, Pioneer and the U.S. Army among its strategic partners. We identify the first firm to commercialize the product as the source of new technology in such cases.

Third, the performance of a technology affects the performance of various products based on that technology. To measure the performance of a technology at a point in time, we use the performance of the best-performing product among all products based on that technology. For example, a hard disk has higher storage capacity than a floppy disk even though both are based on the same magnetic storage technology. We searched for records of performance on the primary dimension at the time of entry of each technology in both absolute terms and relative to its rival technologies. We used this precise information to identify whether the technology made an upper or a lower attack at entry. In some cases only cumulative improvements over a period of data are available. We assume a uniform rate of improvement to estimate average annual rate of improvement in such cases.

Fourth, many times a firm loses market share because of competitive pressures within the market not directly related to the threat posed by the new technology. In such cases, if the highest market share passes from one firm to another without a change in the dominant technology on which the products are based, we do not consider it a firm disruption as it is not caused directly by the new technology.

Fifth, we identify the incumbency status of a firm introducing a new technology based on whether the firm was competing in the same market before that introduction. For example, we classify Philips as an incumbent when it introduced MED lamps, because Philips also offered incandescent lamps prior to offering MED lamps. On the other hand, we classify Optware as an

entrant because it was founded to develop and commercialize holographic storage. Thus, some new technologies may be introduced by incumbents who may have only a minor market share while others may be introduced by entrants; the new technology may or may not disrupt the dominant technology over time.

Sixth, we collect annual data on firm size for the analyses. However, reliable data on the size of firms is not available for all the firms in the sample at the time disruption occurred especially for firms in the early part of the 20th century and for non-US based firms. Since disruption is already a rare event, we cannot afford to lose these observations because of the lack of data on firm size. Hence, we use a dummy variable to indicate the firm size at entry for the entire analysis. We classify a firm as small if the firm was new and formed only to introduce the new technology.

Seventh, we track whether new technologies were acquired by an incumbent. We did not find any cases where a new technology was acquired before causing firm disruption.

Eighth, for each market, we exclude any early periods for which there is only one technology in a market, because disruption requires at least two technologies.

Model

We develop a correlated hazards model based on the method developed by Lillard (1993). The model may be characterized as follows. A new technology is introduced in an existing market. From the point of introduction, the new technology threatens to disrupt both old technologies and incumbent firms using old technologies in the market. The hazards of both technology and firm disruption are influenced by a number of time-related factors including performance of the technology and age of the market, and by a set of exogenous covariates like relative price, order of entry, direction of attack, and source of new technology. We limit the analyses to only firm and technology disruption as demand disruption is conflated with firm

disruption in our sample, i.e., demand disruption generally occurs with firm disruption or always follows it within a short time. However, the same model can be extended to investigate hazard of demand disruption for other data using the same approach. We account for the correlation between the two hazards to avoid inconsistent standard errors (Lillard 1993).

The model is essentially a proportional hazard, with covariates shifting the baseline hazard. In particular, we model the log hazard of technology and firm disruption, respectively:

$$\ln h_{it}^T = \beta_0 + \beta_1' T_{1t} + \beta_2 E_i + \beta_3 S_i + \beta_4 C_i + \beta_5 O_i + \beta_6 P_{it} + \lambda_{it}^T \quad \dots (1)$$

$$\ln h_{it}^F = \alpha_0 + \alpha_1' T_{2t} + \alpha_2 E_i + \alpha_3 L_i + \alpha_4 S_i + \alpha_5 C_i + \alpha_6 O_i + \alpha_7 P_{it} + \lambda_{it}^F \quad \dots (2)$$

where E Dummy variable for incumbency which is 1 if firm is an entrant at the time of entry of new technology and 0 otherwise

L Dummy variable for attack, which is 1 if the new technology employs a lower attack at the time of entry and 0 otherwise

S Dummy variable for firm size, which is 1 if firm introducing the new technology is small at the time of entry of new technology and 0 otherwise

C Dummy variable for relative price, which is 1 if the new technology is priced lower than the dominant technology at the time of entry and 0 otherwise

O Order of entry of the new technology

P Percentage change in performance of the new technology over the prior year

The subscripts i and t refer to technology and time, respectively. λ^T and λ^F are error terms assumed to be normally distributed, $\lambda^T \sim N(0, \sigma_T^2)$ and $\lambda^F \sim N(0, \sigma_F^2)$. Further, we allow the two error terms to be correlated and assume joint normality such that:

$$\begin{pmatrix} \lambda_i^T \\ \lambda_i^F \end{pmatrix} \sim N \left(\begin{pmatrix} 0 \\ 0 \end{pmatrix}, \begin{pmatrix} \sigma_T^2 & \rho_{TF} \sigma_T \sigma_F \\ \rho_{TF} \sigma_T \sigma_F & \sigma_F^2 \end{pmatrix} \right) \quad \dots (3)$$

Note that we do not include the direction of attack in Equation 1 for the hazard of

technology disruption to avoid circularity. The terms $\beta'_i T_{1t}$ and $\alpha'_i T_{2t}$ represent the dependence of respective hazards on time via piecewise linear splines, as follows. We denote the time at which the dominant technology or firm becomes at risk of disruption by t_0 and sub-divide the duration $t - t_0$ into $N_i + 1$ discrete periods, which sum to the calendar time, but which allow the slope coefficients to differ within ranges of time separated by the N_i nodes. The spline variable for the k^{th} period between nodes μ_{k-1} and μ_k is given by $T_k(t) = \max[0, \min(t - \mu_{k-1}, \mu_k - \mu_{k-1})]$.

Therefore, the two baseline hazards can be written as

$$\beta'_i T_{1t} = \sum_{k=1}^{N_i+1} \beta_{1k} T_{1kt} \quad \text{and} \quad \alpha'_i T_{2t} = \sum_{k=1}^{N_2+1} \alpha_{2k} T_{2kt} \quad \dots (4)$$

Let $L^T(\lambda^T)$ and $L^F(\lambda^F)$ represent the conditional likelihood functions of the time to next technology and firm disruption respectively. Then we can write the joint marginal likelihood as

$$\int_{\lambda^T} \int_{\lambda^F} \prod L^T(\lambda^T) \prod L^F(\lambda^F) f(\lambda^T, \lambda^F) d\lambda^T d\lambda^F \quad \dots (5)$$

Here $f(\lambda^T, \lambda^F)$ is the joint distribution of the unobserved heterogeneity components specified in Equation 4. Thus conditional on λ , technology disruption and firm disruption are independent of each other and the conditional joint likelihood can be obtained by simply multiplying the individual likelihoods. The marginal joint likelihood is obtained by integrating out the heterogeneity term (see Appendix 2 for details).

We estimate Equations 1 and 2 jointly as a system of equations with technology-specific errors correlated across the two equations with aML, a Multiprocess Multilevel Modeling software (Lillard and Panis 2003). The complete model is estimated using full information maximum likelihood (FIML). Where a closed form solution does not exist, numerical approximation can be used (Schweidel, Fader and Bradlow 2008). This software employs the Gauss-Hermite Quadrature to approximate the normal integrals.

Results

We identify the primary dimension of competition among competing technologies for each market and an objective measure of this dimension (see Table 3a). The data on the markets range in time from 53 years for the computer printers market to 127 years for the external lighting market. In all, we have 1942 technology-years of data for testing the seven hypotheses. Across the sample, only 55% of all technologies cause disruption. Of these, 33% cause only technology disruption and 22% cause both technology and firm disruption. The remaining 45% of all technologies cause no disruption at all.

We first present an example of technology evolution and market disruption in the lighting market. We then present the results of descriptive analysis, estimates of the hazard model, and out-of-sample predictions of the hazard model. Finally, we present results on various patterns of disruption including the emergence of new secondary dimensions, and the robustness of results.

Example of evolution of technologies in the lighting market

We describe the technological competition and disruption in the external lighting market. The market exhibits a total of five platform technologies between 1879 and 2000 (see Figure 2a). Only the first two technologies were introduced by small firms – incandescent lighting by Edison Lamp Works in 1879 and arc-discharge lighting by Cooper Hewitt Lamp Co. in 1908. Some years after the entry of the arc-discharge lighting, General Electric acquired Cooper Hewitt Lamp Co. Philips, an incumbent, introduced two of the other three technologies (gas-discharge lighting and MED lighting) in 1908, and 1932, respectively. RCA, an entrant to the market, introduced the LED lighting in 1971. Two technologies, arc-discharge lighting and gas-discharge lighting, used upper attacks at the time of entry. The other three technologies used lower attacks. We observe instances of technology disruption in the market that occurred each time the arc-discharge lighting and gas-discharge lighting crossed each other in performance. Figures 2b to d

illustrate the evolution of technologies in three other markets.

Analysis of technological entry

We observe only the technologies that enter and not those that do not enter a market. Hence, we use a cross-tabular analysis (and not log-linear models) to test the first three hypotheses. Based on the extant theory, H_1 predicts that technologies entering via a lower attack come primarily from entrants. However, contrary to the theory and the hypothesis, 47% of lower attacks are from entrants and the remaining 53% are from incumbents (see Table 3b). This difference is not significantly different from 0 ($\text{Chi}^2=0.1$; $p = 0.80$).

Based on the extant theory, H_2 predicts that technologies entering via an upper attack come primarily from incumbents. However, contrary to the theory and the hypothesis, only 42% of upper attacks are from incumbents while the majority (58%) is from entrants (see Table 3b). The difference is not significantly different from 0 ($\text{Chi}^2=0.7$; $p = 0.39$).

H_3 predicts that technologies entering via a lower attack are cheaper than dominant technologies at the time of entry. However, contrary to the theory and the hypothesis, only 12% of technologies using a lower attack are cheaper than dominant technologies at entry (see Table 3c). The rest (88%) are more expensive. The difference is significant ($\text{Chi}^2=9.9$; $p<0.001$).

Analysis of hazard of disruption

The results of the hazards model are in Table 4. The coefficients of the independent variables in this model test the hypotheses H_4 to H_7 . We estimated the model for technology disruption and firm disruption separately (Equations 1 and 2 respectively) and jointly under the assumption of correlation (Equation 3). Table 4 shows that ignoring unobserved heterogeneity results in biased and inconsistent estimates. Unobserved heterogeneity for both technology disruption (σ_T^2) and firm disruption (σ_F^2) are significant ($t=2.6$ and $t=27.2$ respectively). Also, the correlation between the unobserved heterogeneity coefficients (ρ_{TF}) is statistically significant

($t=11.3$). Additionally the maximized value of log-likelihood is much higher for the correlated hazard model. Thus, we only discuss the results of the joint model.

The baseline hazards are specified as splines. In order to identify the location of splines, we used the following procedure. First, we estimate the hazard model with only an intercept and a linear log-hazard, i.e., a spline without nodes. This run provides us with estimates of an intercept and a slope. We then specify two or three nodes, spread out roughly evenly over the years and to approximate the occurrences of disruption in our sample. If the slopes of any two adjacent splines are not significantly different, then we combine them into one spline, in the interests of parsimony. For the baseline hazard, we select nodes at 5, 15, and 25 years for technology disruption and at 8 and 28 years for firm disruption. The difference in the distribution of nodes reflects the different distributions of disruptions for technologies and firms.

Based on extant theory, H_4 predicts that the hazard of disruption is higher from an entrant than from an incumbent. However, contrary to the theory and H_4 , entrants are less likely than incumbents to disrupt (i.e., the sign of entrant is negative) for both technology disruption ($t=-3.1$) and firm disruption ($t=-4.4$). Consistent with this result, we find that incumbents more often than entrants cause technology disruption (63% vs. 57%) and firm disruption (29% vs. 16%) more frequently than entrants. Our result contrasts dramatically with Christensen's claim (1997, p. 24), "*the firms that led the industry in every instance of developing and adopting disruptive technologies were entrants to the industry, not its incumbent leaders*".

Based on extant theory, H_5 predicts that the hazard of firm disruption is higher if a new technology enters via a lower attack. However, contrary to the theory and H_5 , a lower attack has significantly lowers the hazard of firm disruption ($t=-3.5$). Since technologies entering via a lower attack are equivalent to "potentially disruptive technologies," and only 6 technologies in

our sample disrupt using a lower attack, the absolute frequencies suggest that “potentially disruptive technologies” rarely cause firm disruption.

Based on extant theory, H_{6a} predicts that the hazard of disruption is higher if a new technology is introduced by a small firm, while H_{6b} predicts the reverse. We find that firms’ size does not affect the hazard of disruption. Small firms increase the hazard of technology disruption ($t=0.6$) but lower the hazard of firm disruption ($t=-1.5$), but none of the estimates are statistically different from zero.

Based on extant theory, H_7 predicts that the hazard of disruption is higher if a new technology is priced lower than the dominant technology at entry. The results support the hypothesis. Relative price of the new technology at entry relative to the dominant technology increases the hazard of both technology disruption ($t=3.4$) and firm disruption ($t=5.4$).

The hazard of technology disruption increases with both an increase in performance ($t=5.2$) and in the order of entry ($t = 3.5$). However, only an increase in performance affects the hazard of firm disruption ($t=5.4$) but the order of entry has no impact ($t=1.3$).

Figure 3 plots the baseline hazard for both technology and firm disruption for a new technology. Both hazards peak early and decline subsequently but follow somewhat different paths. Firm disruption lags technology disruption by approximately 10 years in our sample.

Out-of-sample prediction of disruption

Following Golder and Tellis (1997), we use a jackknife approach to ascertain the out-of-sample predictive validity of the hazard model in the following way. We re-estimate the model n times, each time excluding one target technology, where n is the number of technologies in our sample. For each of these n runs, we multiply the estimated parameters of the model with the values of the variables of the excluded target technology to predict the hazard of disruption for the excluded target technology. For this purpose, we used the uncorrelated hazards model as it

was more convenient to estimate iteratively and the PHREG procedure in SAS as it allows easy programming to estimate iteratively. The SAS procedure provides the Survival function (Allison 1995). We compare the values of the predicted survival function with a cutoff point (as explained below under Predictive Statistics). The first year the survival function falls below the cutoff, we predict a disruption.

Based on this approach, we make two types of predictions, one at entry and the other, one-year updated with the most recent prior year information. The difference in the two approaches lies in the difference in the information used to estimate the models, either at entry or from each additional year of the subsequent evolution of the target technology. In the latter case, if the j^{th} technology has m_j years, then there will be a total of $\sum_{j=1}^{36} m_j$ predictions.

We show the predictive accuracy of the hazard model in three ways: predictive statistics, graphical comparison of actual versus predicted disruptions, and average error in year of disruption.

Predictive statistics

Traditional summary statistics of the accuracy of the model in predicting disruption are specificity and sensitivity. Specificity and Sensitivity are the power of the model to detect true negatives and true positives respectively, computed as follows:

$$\text{Specificity} = \frac{\text{True Negatives}}{\text{Actual Negatives}} = \frac{\text{True Negatives}}{\text{True Negatives} + \text{False Positives}} \quad \dots (6)$$

$$\text{Sensitivity} = \frac{\text{True Positives}}{\text{Actual Positives}} = \frac{\text{True Positives}}{\text{True Positives} + \text{False Negatives}} \quad \dots (7)$$

The false positive rate and the false negative rate are simply (1-specificity) and (1-sensitivity) respectively. The determination of a disruption is made by the analyst when the survival function falls below a cutoff value. Choosing too low a cutoff leads to low false

positives but high false negatives. The reverse is true for choosing too high a cutoff. So we choose a cutoff that balances the two error rates.

Table 5 presents the results for each domain of disruption respectively. Note that for prediction of both technology and firm disruption at the time of entry, the out-of-sample sensitivity and specificity are both high. For predicting disruption one-year ahead, specificity is high for both technology and firm disruption and sensitivity is high for firm disruption. The only prediction which is not good is that of sensitivity of firm disruption for updated forecasts.

Graphical comparison of actual versus predicted disruptions

Figure 5 compares the actual disruption at entry with that predicted by the models . Figure 5a and 5b display the results for technology and firm disruptions respectively. Note that for both graphs, the model's predictions occur approximately in the years that the disruptions actually take place.

Error in year of disruption

The error in year of disruption is the difference in years between when the model predicts a disruption and when the disruption actually takes place. The results on this measure are in Table 5. The mean absolute errors range from .6 of a year for firm disruption via the updated approach to 6.1 years for technology disruption via the updated approach. While these figures may seem large, recall that these events occur rarely in the life of a technology that spans decades and that as of now, the literature has no model, whatsoever, that can predict disruption, especially so many years ahead of the event. Specifically, the higher error for technology disruption is driven by two false positives for impact printer and incandescent lighting that occur over the long lives of these two technologies.

Patterns of disruption

We find some patterns in the two types of disruption that are worthy of note.

First, at many points in time, competing technologies co-exist. In some cases, disrupted technologies continue to survive and co-exist with the new technology by finding a niche. For example, dot matrix printers continue to co-exist with laser and inkjet printing technologies. This suggests that the phenomenon is not as ‘fatal’ or ‘final’ as the term implies. It is true that some technologies do die, but many continue to survive even after being disrupted.

Second, some technologies experience disruption in one domain but not in another domain. For example in the lighting market, incandescence continues its dominance in the demand domain for many decades even though it was disrupted in the performance domain by higher performing technologies. We also observe that firms that introduce a new technology may not be the ones to cause disruption. In many cases, other firms may subsequently promote the new technology and cause disruption. For example, even though Optel Inc. introduced the LCD technology, it was Samsung that disrupted the incumbents and became the market leader. Hence, first mover advantages are not sufficient for disruption.

Third, most technologies do not improve smoothly over time (see Figures 2a to 2d) as the theory of disruptive innovations predicts. Neither do most technologies improve in the shape of S-curves (Foster 1986). Rather, improvement is sporadic with many periods of no improvement followed by spurts of big improvements. For example, gas discharge was stagnant for many years and lost technological superiority to a competing technology, arc discharge, which improved frequently every few years after its entry. However substantial improvement after almost twenty years propelled gas discharge into a position of superiority again.

Fourth, there is a fascinating dynamic of emergence of new secondary dimensions of performance. We find that a new technology almost always introduces a new dimension of importance even while competing with old technologies on the primary dimension (see Table

6a). For example, in display monitors, LCDs introduced the dimension of compactness, Plasma brought into focus the dimension of screen size, and OLED brought into play the dimensions of convenience and low power consumption. These secondary dimensions appeal to various niche segments. However, in all cases, the competition for the mainstream segment was still on the primary dimension of performance, (e.g., resolution in desktop monitors), which continued to improve substantially over time.

Finally, contrary to current belief, we observe multiple disruptions or crossings between paths of technological performance. This pattern occurs when technology disruption by a new technology is not permanent, because a technology which has been surpassed in performance, regains technological leadership. We find a total of 4 cases of multiple technology disruptions: two in computer memory and two in electrical lighting. Thus disruption is not permanent as extant theory suggests. At the same time, we do not find cases of multiple firm or demand disruption so far in our sample.

Robustness of results

We carried out five analyses to assess the robustness of our results. First, one would be concerned that the theoretical relatedness in some of our independent variables may create a problem of multi-collinearity. However, we find that the results of the hazard model are robust to the selection of variables. In particular, the significance and effect of each variable does not change much whether each variable is included individually or combined with all others. The correlation between the two key variables of interest - incumbency and type of attack is low (.1). Estimates of variance inflation factors, using a multiple regression model with the same data and variables, suggest VIF values of less than 2. Thus, multi-collinearity is not a problem in our data (Hair et al 2006).

Second, one could argue that the frequency of occurrence reported in our results could

suffer from censoring bias, because not enough time has elapsed for disruption to occur. To assess the severity of this problem, we do a split sample analysis, dividing our sample by a median split on the year of entry. This yields two sets of technologies – one introduced before and the other after 1960, each with 18 technologies. Note that in general, disruption occurs more frequently in the sample after 1960 than in that before 1960 (see Table 6b). However, even in the post-1960 sample which allows for a time period of at least 40 years, the occurrence of disruption is not high, contrary to the dire warnings of extant theories.

Third, we also tested the impact of two more variables in the hazard model –change in performance of dominant technology and difference in the change in performance of the two competing technologies. Both these variables could affect the hazard of disruption by the new technology for the following reasons. First, disruption may become easier as the dominant technology matures and improves slowly (Foster 1986). Second, difference in the performance of the two competing technologies may increase the hazard of disruption of the dominant. We added these variables in the hazard model to test these expectations. The results were not materially different from those reported here.

Fourth, we redo the analysis for one industry using resolution per dollar rather than only resolution. The results are in Figure 4 and Table 6c. The results are consistent with the original analyses for all markets using absolute performance. Four technologies use a lower attack, but only one of these (pen plotter) is from an entrant, the rest are from incumbents. The one technology using an upper attack is from an entrant. All five new technologies are more expensive than the dominant technology at the time of entry. There is only one disruption: inkjet disrupts dot-matrix in 1987. Ink-jet was introduced by IBM which was an incumbent. Thus, in this market, using resolution per dollar, the pattern of results is very similar to that in other

markets using absolute performance.

Fifth, we tested many interactions in the model. However, the correlated hazards model fails to converge when these interaction terms are added to the model, probably because of few events per interaction term. So we chose to retain and test only the variables directly suggested by the theory of disruptive innovations.

Discussion

While making strong claims that are quite popular, the theory of disruptive innovations lacks precise definitions, suffers from tautologies, lacks adequate empirical testing, and has no predictive model. We attempt to remedy these problems with a new schema, new empirical data, and a new predictive model. The proposed schema has clear definitions and distinguishes between types of technologies, types of attacks, and domains of disruption. The schema allows us to derive seven testable hypotheses. We test these hypotheses with a hazard model on data from all 36 technologies in 7 different markets. Further we carry out an out-of-sample predictive analysis that shows good to high sensitivity and specificity. The test and results apply to platform technologies. This section summarizes the findings from this test, discusses implications, and points out some limitations of the research.

Summary of findings

Contrary to extant theory:

- Technologies that adopt a lower attack or “potentially disruptive technologies”
 - are introduced as frequently by incumbents as by entrants
 - are not cheaper than old technologies
 - rarely disrupt firms
- The hazard of disruption by incumbents is significantly higher than that by entrants.

- Lower attack reduces the hazard of firm disruption.

However, consistent with extant theory:

- Low price of new technologies increases the hazard of disruption. However, most new technologies, unfortunately, are not priced lower than dominant technologies at entry.

Implication

These results suggest that many aspects of the theory of disruption are exaggerated if not inaccurate. They raise one big question. Is the theory totally wrong? Not so. The theory is right in one aspect: The hazard of disruption by low priced new technologies is higher.

While entrants with lower attacks do cause disruption, this event has been exaggerated. Though an entrant disrupting a well-funded, giant incumbent with a lower attack always makes for a good story, such disruptions account for only a small fraction of all cases. For example, only 8% of all technology disruptions and 25% of all firm disruptions were caused by entrants using a lower attack.

The term “disruptive technology” has been attributed to technologies entering via a lower attack. By our results, the frequency of the latter event has been exaggerated and so called “disruptive technologies” rarely disrupt! For example, although 47% of all technologies adopt a lower attack, only 16% of all technologies cause technology disruption and only 14% of all technologies cause firm disruption via a lower attack. However, the threat of lower attacks should not be completely discounted. Lower attacks are important because managers of incumbent firms may tend to ignore or belittle a new technology that initially seems inferior to the dominant technology. Some of these new technologies can improve enough so as to disrupt the initially superior technology.

Incumbents may take hope from our results in that incumbents cause 50% of all

technology disruptions and 62% of all firm disruptions. However, in all markets, even though incumbents introduced more technologies and caused more disruption than entrants, many incumbents lost market dominance and subsequently failed. Hence, there is no room for complacency. Entrants do disrupt. And for entrants to account for many disruptions, often without the expertise, market knowledge, or resources of the incumbents, is quite impressive. A key issue is why some incumbents fail while others succeed. We suspect that the internal culture of the firms is probably a key factor responsible for disruption, rather than any external threat per se, such as a new technology or strategy.

Limitations

We acknowledge some limitations of the study which could be the basis of future research. First, because of the time-consuming nature of data collection, we were able to analyze only seven markets. However, that number still yields 36 technologies, which we track for an average of 50 years. This is probably a more comprehensive sampling than prior research in the field. Second, we were not able to get data on the performance per dollar of all technologies for all years. A number of authors emphasize the need to incorporate such metrics for a richer analysis of performance. Third, our results apply to platform technologies because we do not test the disruptive potential of design and component innovations, product innovations, or business model innovations due to both limitations of data and the large number of such innovations. However, each of these levels of innovations may also have disruptive potential. Fourth, because of the extensive technological and historical focus of this study, we did not obtain behavioral and cultural aspects of the firms involved in technology competition. We suspect that these may be important predictors of firm disruption. Fifth, our results may be susceptible to censoring. However, even when given over 40 years of time, the occurrence of disruption never came close

to the values claimed by extant theories. Sixth, we did not encounter any cases of an incumbent acquiring a potentially disruptive technology before a disruption occurred. Nevertheless this could be a viable strategy and needs to be studied.

Appendix 1:

Operating Principles of Sampled Technologies

Electrical Lighting

1. **Incandescent:** Generates light by heating up thin metallic wires with an electric current
2. **Arc Discharge:** Emits light by arc formed between two electrodes oppositely charged by an electric current in a high-pressure gas chamber
3. **Gas Discharge:** Electrons excited by passing an electric current in a low-pressure gas chamber emit light
4. **LED:** Emits light in n-p transition zone under influence of an electric potential
5. **MED:** Emits light by microwaves from induction coil inside the bulb to excite the gas.

Computer Memory

6. **Punched Cards:** Records data by punching holes into paper or cardboard medium, which can be read electrically or optically
7. **Magnetic:** Records data by passing a frequency modulated (FM) current through the disk drive's magnetic head that magnetizes the particles of the disk's recording surface.
8. **Vacuum Tubes:** Records data by an electronic device that controls the flow of electrons in a vacuum.
9. **Electrostatic Storage tubes:** Records data by writing a grid of dots and dashes (or dim and bright dots) to the CRT, sensed by the collector plate that flips up directly over the CRT (Williams Tube).
10. **Acoustic Delay Lines:** Records data by a simple acoustic delay line, consisting of a delay medium and two transducers.
11. **Semiconductor:** Records data in static memory, where each cell uses a flip-flop made from four or six transistors.
12. **Optical:** Stores data using the laser modulation system, where changes in reflectivity are used to store and retrieve data.
13. **Magneto-optical:** Records data using the magnetic-field modulation system and reads the data with a laser beam.
14. **Holographic storage:** Records data using collinear holography, whereby two lasers, one red and one blue-green, are collimated in a single beam.

Computer Printers

15. **Impact:** Forms an image by striking a hammer against an ink ribbon to print closely spaced dots that form the desired image
16. **Pen Plotter:** Forms graphic images on paper with pens controlled by small electrical motors.
17. **Inkjet:** Forms an image by spraying ionized ink at a sheet of paper through micro-nozzles
18. **Laser:** Forms an image on a photosensitive surface using electrostatic charges, transfers the image on to a paper using toners, and then heats the paper to make the image permanent
19. **Thermal:** Forms an image on paper by heating ink through sublimation or phase change processes.

Display Monitors

20. **Scanning Disk:** Forms an image by first breaking up an image into tiny bits by using a rotating “scanning disk” and converting each slice to a varying electric signal in the

photocell. The signal is then transmitted to a distant receiver and reassembled into a crude picture.

21. **CRT**: Forms an image when electrons, fired from the electron gun, converge to strike a screen coated with phosphors of different colors
22. **LCD**: Forms an image by passing light through molecular structures of liquid crystals
23. **Plasma**: Forms an image by passing a high voltage through a low-pressure electrically neutral highly ionized atmosphere utilizing the polarizing properties of light
24. **OLED**: Forms an image by combining positive and negative excitons (holes emitted by anodes and electrons emitted by cathodes) in a polymer dye through the principle of electroluminescence.
25. **ELD**: Forms an image by switching between a 'reflect' and a 'not-reflect' condition of liquid crystal molecules by applying electric power to transparent electrodes.

Music Recording

26. **Mechanical**: Records sound by producing grooves on a soft rotating cylinder by a stylus and lever assembly.
27. **Electrical**: Records sound by electromagnetic cutting head driven by electronic amplifiers.
28. **Magnetic**: Digitizes sound in a pattern of 0s and 1s recorded in patterns of magnetic flux on a tape coated with ferric oxide powder by a small, circular electromagnetic head.
29. **Optical**: Sound is digitized in a pattern of 0s and 1s and recorded in a spiral track of microscopic bumps/pits on a plastic surface by a laser.
30. **Semiconductors**: Sound is digitized in a pattern of 0s and 1s and recorded as low and high voltage states in a grid of transistors embedded in a semiconductor chip.

Analgesics

31. **Opioids**: Reduces generation of pain signals by inhibiting the action of Cox enzymes responsible for inflammation.
32. **NSAIDs**: Reduces brain sensitivity to pain by imitating the body's own painkilling chemicals and binding to pain-sensing sites throughout the brain.
33. **Acetaminophen**: Preferentially inhibits pain by disrupting the activation of Cox enzymes.

Data Transfer

34. **Cu/Al**: Transmits data in the form of electrical energy as analog or digital signals.
35. **Fiber Optics**: Transmit data in the form of light pulses through a thin strand of glass using the principles of total internal reflection.
36. **Wireless**: Encodes data in the form of a sine wave and transmits it with radio waves using a transmitter-receiver combination.

Appendix 2:

Statistical Formulation and Estimation of Hazard Model

This section presents the general formulation and the method of estimation of the hazard model used in this paper. Since the two hazard equations on technology and firm disruption share the same basic structure, we first describe the details in a generic form and then present the joint marginal likelihood function. The log-hazard equation is written in generic form as

$$\ln h(t) = \beta_0 + \beta_1' T(t) + \beta_2' X(t) + \lambda \quad \dots(B1)$$

where $T(t)$ is a vector of piecewise linear spline variables representing duration dependence, $X(t)$ is a vector of exogenous covariates, and λ is a normally distributed residual term representing heterogeneity (unobserved but constant) $\lambda \sim N(0, \sigma^2)$.

The baseline survivor function is then given by:

$$S_0(t) = \exp \left\{ - \int_{t_q}^t e^{\beta_0 + \beta_1' T(\tau)} d\tau \right\} \quad \dots(B2)$$

Where t_q is the time of introduction of the new technology and $t > t_q$. The duration is divided into ranges of time over which the time-varying covariates are constant (we use 1 years periods in the paper). The conditional survivor function then represents the probability that technology i will disrupt an old technology after time t , conditional on the sequence of covariates $X(t)$, and on the unobserved residual component λ , and is given by:

$$S_0(t, X(t), \lambda) = \prod_{s=1}^S \left[\frac{S_0(t^{s+1})}{S_0(t^s)} \right]^{\exp\{\beta_2' X(t^s) + \lambda\}} \quad \dots(B3)$$

where S is the number of subintervals within which covariates $\mathbf{X}(t)$ are constant, $\mathbf{X}(t^s)$ are the values of the covariates between time t^s and t^{s+1} , and $t^{S+1} = t$. The conditional likelihood of a completed duration t^* is given by:

$$f(t^*, X(t^*), \lambda) = S(t^*, X(t^*), \lambda) h(t^*, \lambda) \quad \dots(B4)$$

The survivor and density functions are combined into the conditional likelihood notation covering both the censored and uncensored cases

$$L(\lambda) = \begin{cases} S(t^{**}, X(t^{**}), \lambda) & \text{if censored (at } t=t^{**}) \\ f(t^*, X(t^*), \lambda) & \text{if uncensored} \end{cases} \quad \dots(B5)$$

When only one hazard process is considered (e.g. when estimating the uncorrelated hazards), the "marginal" likelihood function is obtained by integrating over the range of the heterogeneity component, λ , and is given by

$$L = \int_{\lambda} \frac{1}{\sigma_{\lambda}} \phi\left(\frac{\lambda}{\sigma_{\lambda}}\right) L(\lambda) \quad \dots(B6)$$

When we account for correlation between the two hazards, we assume that all correlation is captured by the heterogeneity components. Given this, the joint conditional likelihood of the set of observed outcomes is the product of the conditional probabilities of the individual outcomes. The full marginal likelihood is obtained by integrating over the range of the heterogeneity components, λ_T and λ_F , and is given by,

$$L = \int_{\lambda_T} \int_{\lambda_F} \frac{\phi\left(\frac{\lambda_T}{\sigma_T}, \frac{\lambda_F}{\sigma_F} \mid \rho_{\sigma_T \sigma_F}\right)}{\sigma_{\lambda_T} \sigma_{\lambda_F}} \prod_i^N (L^T(\lambda_T))(L^F(\lambda_F)) d\lambda_T d\lambda_F \quad \dots(B7)$$

Where both integrals range from $-\infty$ to $+\infty$, and the correlation matrix Ω is :

$$\Omega = \begin{pmatrix} 1 & \\ \rho_{TF} & 1 \end{pmatrix} \quad \dots(B8)$$

Estimation is based on maximization of the marginal likelihood (for details see Panis and Lillard 1993).

References

- Acs Zoltan J. and David B. Audretsch (1988), "Innovation in Large and Small Firms: An Empirical Analysis", *American Economic Review*, Vol. 78, No. 4, Sep.
- Adner, Ron (2002), "When Are Technologies Disruptive? A Demand-Based View of the Emergence of Competition," *Strategic Management Journal* 23(8):667–88.
- ___ and Zemsky Peter (2005), "Disruptive Technology and the emergence of Competition," *RAND Journal of Economics*, 36(2):229-254.
- Allison, Paul D (1995), "Survival Analysis Using SAS®: A Practical Guide," Cary, NC: SAS.
- Barney, Jay B. (1997), "On Flipping Coins and Making Technology Choices: Luck as an Explanation of Technological Foresight and Oversight," *Cambridge Univ. Press*, 13–19.
- Bower, Joseph L. and Clayton M. Christensen, (1995), "Disruptive Technologies: Catching the Wave," *Harvard Business Review*, Jan-Feb, 73:1, pp. 43-53.
- Chandy, Rajesh and G. J. Tellis (1998), "Organizing For Radical Product Innovation," *Journal of Marketing Research*, 35 (Nov), 474-487.
- ___ and ___ (2000), "The Incumbent's Curse? Incumbency, Size, and Radical Product Innovation" *Journal of Marketing* 64 (3), 1-17.
- Christensen, C. M. (1997), "*The Innovator's Dilemma: When New Technologies Cause Great Firms to Fail*," Boston, Mass.: Harvard Business School Press.
- ___, and Raynor, M. (2003), "*The Innovator's Solution*," Boston: HBS Press.
- ___, Anthony S. and Roth, Erik (2004), "*Seeing What's Next*," Boston: HBS Press.
- ___ and Rosenbloom Richard (1995), "Explaining the Attacker's Advantage: Technological Paradigms, Organizational Dynamics, and Value Network," *Research Policy*, 24: 233-257.
- Cohan, Peter S. (2000), "The Dilemma of the "Innovator's Dilemma": Clayton Christensen's Management Theories Are Suddenly All the Rage, But Are They Ripe for Disruption?" *Industry Standard*, Jan, 2000.
- Cohen, W. M. and D. A. Levinthal (1990), "Absorptive Capacity: A New Perspective on Learning and

- Innovation” *Administrative Science Quarterly*, 35: 128-152.
- Danneels, Erwin (2004), “Disruptive Technology Reconsidered: A Critique and Research Agenda,” *Journal of Product Innovation Management* 21:246–258.
- Dosi G (1982), “Technological Paradigms and Technological Trajectories: A Suggested Interpretation of the Determinants and Directions of Technical Change,” *Research Policy* 11: 147. 162,
- Foster, R. (1986), “*Innovation: The Attacker's Advantage*,” New York: Summit Books.
- Freeman C. (1974), “*The Economics of Industrial Innovation*,” Harmondsworth: Penguin.
- Ghemawat, P. (1991), “Market Incumbency and Technological Inertia” *Marketing Science* 10 (2), 161-71
- Gilbert, C., and J. L. Bower (2002), “Disruptive Change: When Trying Harder is Part of the Problem” *Harvard Business Review* (May); 94-101.
- ____ (2003), “The Disruption Opportunity,” *Sloan Management Review* 44(4):27–32.
- Golder, P. N. and G. J. Tellis (1997), “Will It Ever Fly? Modeling the Growth of New Consumer Durables,” *Marketing Science*, 16, 3, 256-270.
- Gould, S. and N. Eldridge (1977), ‘Punctuated Equilibria: The Tempo and Mode Of Evolution Reconsidered,’ *Paleobiology*, 3, 115–151.
- Govindarajan V. and P.K. Kopalle (2006), “The Usefulness of Measuring Disruptiveness of Innovations Ex-Post in Making Ex Ante Predictions,” *JPIM*, 23(1): 12-18.
- Grove, Andrew (1998), “Keynote Speech Presented at the Annual Meeting of the Academy of Management,” San Diego, CA.
- Hair JF, Anderson, Tatham RL, Black WC (2006), “*Multivariate Data Analysis*,” Prentice Hall
- Henderson, R.M. and Clark, K. B. (1990), “Architectural Innovation: The Reconfiguration of Existing Product Technologies and the Failure of Established Firms,” *Administrative Science Quarterly*, 35: 9-30.
- ____ (1993), “Underinvestment and Incompetence as Responses to Radical Innovation: Evidence from the Photolithographic Alignment Equipment Industry,” *RAND Journal of Economics*, The RAND Corp., 24(2), 248-270, Summer.

- ____ (2006), "The Innovator's Dilemma as a Problem of Organizational Competence", *JPIM* 23 (1), 5-11.
- Hill, C.W.L. and Rothaermel, F.T. (2003), "The Performance of Incumbent Firms in the Face of Radical Technological Innovation," *Academy of Management Review*, 28 (2): 257-274.
- King, A. A. and Tucci, C. L. (2002), "Incumbent Entry into New Market Niches: The Role of Experience and Managerial Choice in the Creation of Dynamic Capabilities," *Management Science*, 48(2): 171-186.
- Kostoff RN, R Boylan, and GR Simons (2004), "Disruptive Technology Roadmaps," *Technological Forecasting and Social Change*, 71/1-2, pp 141-159
- Levinthal D. (1998), 'The Slow Pace of Rapid Technological Change: Gradualism and Punctuation in Technological Change,' *Industrial and Corporate Change*, 7, 217-247.
- Lieberman M.B. and Montgomery D.B. (1988), "1st-Mover Advantages" *SMJ*, 9, 41-58.
- Lillard, L.A., (1993), "Simultaneous Equations for Hazards: Marriage Duration and Fertility Timing," *Journal of Econometrics* 56 (1/2), 189-217.
- ____ and Panis, C.W.A., (2003), "aML Multiprocess Multilevel Modeling," *Econware*,.
- Markides, C. (2006), "Disruptive Innovation: In Need of Better Theory," *JPIM* 23 (1), 19-25.
- Mokyr Joel (1990), "Punctuated Equilibria and Technological Progress," *AER*, 80: 350-355.
- Pavitt K and S. Wald (1971), "The Conditions for Success in Technological Innovation", *OECD*
- Raffi, F. and Kampas, P.J., (2002), "How to Identify Your Enemies Before They Destroy You," *Harvard Business Review*, 80(11), pp. 115-124, Nov.
- Robertson, Thomas S., J. Eliashberg, and T. Rymon (1995), "New Product Announcement Signals and Incumbent Reactions" *Journal of Marketing* 59 (3), 1-15.
- Rogers, E. M. (2003), "Diffusion of Innovations," (5th ed.) New York: Free Press.
- Rothaermel, F.T. (2001), "Complementary Assets, Strategic Alliances, and the Incumbent's Advantage: An Empirical Study of Industry and Firm Effects in the Biopharmaceutical Industry," *Research Policy*, 30 (8): 1235-1251.
- ____ and Hill, C.W.L. (2005), "Technological Discontinuities and Complementary Assets: A Longitudinal

- Study of Industry and Firm Performance,” *Organization Science*, 16(1):52-70
- Schumpeter, Joseph A. (1934), “*The Theory of Economic Development*,” Cambridge: Harvard University Press. (New York: Oxford University Press, 1961)
- Schweidel, D. A., P. S. Fader and E. T. Bradlow (2008), “A Bivariate Timing Model of Customer Acquisition and Retention,” *Marketing Science* 27(5) 829-843.
- Sood, Ashish and Gerard J. Tellis (2005), “Technological Evolution and Radical Innovations,” *Journal of Marketing*, 69, 3, 152-168.
- ___ and ___ (2009) "Do Innovations Really Payoff? Total Stock Market Returns to Innovation" *Marketing Science*, May/June 2009, Vol. 28, Iss. 3; p. 442 (16 pgs.).
- Tellis G.J. (2006), “Disruptive Technology or Visionary Leadership?” *JPIM* 23 (1), 34-38.
- Tripsas, M. (1997), “Unraveling the Process of Creative Destruction: Complementary Assets and Incumbent Survival,” *Strategic Management Journal* 18 (Summer): 119-142.
- Tushman, Michael and Philip Anderson (1986), “Technological Discontinuities and Organizational Environments,” *Administrative Science Quarterly*, 31 (September), 604-33
- Utterback, J. M. (1994), “Radical Innovation and Corporate Regeneration” *Research Technology Management* 37(4)
- ___, and Acee H. J. (2005), “Disruptive Technologies: An Expanded View,” *IJIM*, 9, 1:1-18.

Table 1:
Definition of Technologies

Our Schema		Christensen's Schema	
Our Terms	Basis	Christensen's Terms	Basis
Platform	Scientific Principles	Disruptive	New technology inferior on primary but superior on secondary dimension
		Sustaining Displacing	New technology superior on primary
Design	Linkages or Layout	Sustaining Incremental, Disruptive	Small improvement in current technology on primary dimension (disruptive as defined above)
Component	Materials or Parts	Sustaining Radical, Disruptive	Large improvement in current technology on primary dimension (disruptive as defined above)

Note: Christensen uses the term disruptive for all three levels, including platform, design, and component innovations.

Table 2:

Classification of Studies in Literature Based on Proposed Schema

		Performance (Entry) of New Technology		
		Lower Attack	Upper Attack	Both Attacks
Domain of Disruption	Firm (Competitive Survival)	Disruptive innovations (Christensen 1997) Potentially disruptive innovations (Raffi & Kampas 2002) Radical Innovation (Utterback and Acee 2005) Low-end Disruptions (Govindarajan and Kopalle 2005)	Sustaining Displacing Innovations (Christensen 1997) Technological Discontinuity Competence Enhancing/ Destroying Innovations (Tushman & Anderson 1986)	Low-end and High-end Disruptions (Govindarajan and Kopalle 2006)
	Demand (Market Acceptance)	Disruptive technologies (Adner 2002) New technology (Levinthal 1998; Utterback & Acee 2005)	Down-market progression (Utterback & Acee 2005) New Technology (Levinthal 1998)	Attack from below and Down-market progression (Utterback & Acee 2005)
	Technology (Performance Evolution)	New technology (Levinthal 1998) Radical Innovation (Utterback 1994) Theory of S-Curves (Foster 1986) Technological trajectories and discontinuous Innovation (Dosi 1982)		Platform Technologies (Sood and Tellis 2005)
	All Domains			This paper

Table 3:
Patterns of Entry

Table 3a: Dimensions of Competition

Market	Primary Dimension	Measure
Electrical Lighting	Lighting Efficacy	Lumens per Watt
Data Transfer	Transfer Speed	Bits per second
Computer Memory	Storage Capacity	Megabytes per square inch
Computer Printers	Print Resolution	Dots per square inch
Display Monitors	Screen Resolution	Pixels per square inch
Music Recording	Storage Capacity	Megabytes per square inch
Analgesics	Efficacy in Pain Reduction	Number Needed to Treat (NTT)

Table 3b: Frequency of New Technologies by Attack, Source and Price

		Lower attack	Upper attack
Source	Entrant	47%	58%
	Incumbent	53%	42%
	Total	100%	100%
Price Relative to Dominant Technology at Entry	High Price	88%	89%
	Low Price	12%	11%
	Total	100%	100%

Table 4:
Results of Hazard Model on Disruption

Parameter	Uncorrelated Hazards		Correlated Hazards	
	Technology Disruption	Firm Disruption	Technology Disruption	Firm Disruption
	Est. (t-value)	Est. (t-value)	Est. (t-value)	Est. (t-value)
Technology Disruption Spline				
Spline: 0 - 5 years	-0.77 (-16.4)		-0.77 (-18.5)	
Spline: 5 - 15 years	.21 (7.9)		.21 (5.7)	
Spline: 15 - 25 years	-.10 (-2.4)		-.31 (-4.5)	
Spline: > 25 years	-1.81 (-22.3)		-1.81 (-3.7)	
Firm Disruption Spline				
Spline: 0 - 8 years		.38 (5.8)		.38 (15.6)
Spline: 8 - 28 years		-.06 (-3.7)		-1.90 (-6.0)
Spline: > 28 years		-.22 (-8.2)		-2.70 (-2.2)
Intercept	.89 (9.1)	.89 (.6)	.89 (1.8)	.89 (1.3)
Entrants	-3.72 (-33.9)	-3.22 (-4.4)	-3.62 (-3.1)	-3.02 (-4.4)
Lower Attack	NA	-2.00 (-2.2)	NA	-2.60 (-3.5)
Small Firm	.07 (1.2)	-1.56 (-1.9)	.41 (0.6)	-1.46 (-1.5)
Low Priced	.22 (38.1)	.32 (4.8)	.12 (3.4)	.35 (5.4)
Performance Improvement	1.23 (35.3)	1.33 (5.0)	1.13 (5.2)	1.33 (5.4)
Order of Entry	.39 (20.4)	1.94 (2.5)	.39 (3.5)	.94 (1.3)
Heterogeneity	.7 (8.5)	1.70 (2.5)	2.38 (2.6)	1.70 (27.2)
Correlation			.15 (11.3)	
Log Likelihood	-2620.9	-7595.2	-9893.0	

Table 5:
Out of Sample Predictive Accuracy

At Entry	Technology Disruption	Firm Disruption
Specificity	63%	71%
Sensitivity	75%	63%
Mean Absolute Error	3.6 years	1.3 years
Updated Forecasts		
Specificity	85%	69%
Sensitivity	55%	49%
Mean Absolute Error	6.1 years	.6 years

**Table 6:
Patterns of Disruption**

Table 6a: Secondary Dimensions of Competition

Market	Secondary Dimensions
Electrical Lighting	Cleanliness/ Safety, Brightness, Life, Size, Modularity
Data Transfer	Mechanization, Bandwidth, Connectivity
Computer Memory	Mechanization, Mutability, Accessibility, Addressability, Transfer speed, Life, Capacity
Computer Printers	Mechanization, Graphics quality, Speed, Simple design
Display Monitors	Mechanization, Compactness, Screen size, Brightness, Flexibility, Low power consumption
Music Recording	Play Time, Duplication, Mutability, Size, Life
Analgesics	Recovery speed, Targeted action, Risk-benefit balance

Table 6b: Occurrence of Disruption by Time Period

Time of Introduction	Technology Disruption		Firm Disruption	
	No Disruption	Disruption	No Disruption	Disruption
Before 1960	28%	22%	41%	9%
After 1960	17%	33%	36%	14%

Note: % of all technologies (36)

Table 6c: Technology Dynamics in Printer Market*

Printer Technology	Characteristics of New Technology at Entry			
	Lower Attack	Entrant	Small Firm	Low Priced
Dot Matrix	Yes	No	No	No
Pen Plotter	No	Yes	Yes	No
Laser	Yes	No	No	No
Inkjet	Yes	No	No	No
Thermal	Yes	Yes	No	No

* Using Resolution Per Dollar

Figure 1:
Theory of Disruptive Innovations








Figure 2:
Empirical Path of Technological Evolution in 4 Markets



Note: * Performance on Y axis is in Log Scale
 + Accurate performance records of efficacy of Acupuncture not available prior to 1971

Figure 3:
Baseline Hazards: Technology and Firm Disruption




Figure 4:

Technology Dynamics for Desktop Printers

(When Performance is Measured as Resolution per Dollar)




Figure 5:
Predictive Ability of Hazard Model at Entry

Figure 5a: Predicted vs. Actual Technology Disruption




Figure 5b: Predicted vs. Actual Firm Disruption

